

Takaki et al. Vol. 195, No. 2, January 21, 2002. Pages 151–160.

There was a typographical error in Table III. The third column said 3.6 ± 4.8^a , but it should be 33.6 ± 4.8^a . The corrected table appears below.

Table III. B Cell Overproduction and Increased in $Lin^- Sca-1^+ c-Kit^+$ Hematopoietic Progenitors in $lnk^{-/-}$ Mice Is Partly Normalized by Reducing Expression of $c-Kit$

Genotype	Cell number	B220 ^{lo} IgM ⁻	B220 ^{lo} IgM ⁺		Li ⁻ Sca-1 ⁺ c-Kit ⁺		
	(10 ⁷ cells/femur)	(%)	(%)		(%)	(% in Lin ⁻ cells)	
<i>lnk</i> ^{+/+} <i>Kit</i> ^{+/+}	1.65 ± 0.16	19.5 ± 5.1	8.9 ± 3.6	(n = 12)	0.45 ± 0.07	16.2 ± 2.2	(n = 5)
<i>lnk</i> ^{+/+} <i>Kit</i> ^{W/+}	1.71 ± 0.19	18.2 ± 4.6	8.0 ± 3.1	(n = 10)	0.38 ± 0.06	14.9 ± 1.7	(n = 4)
<i>lnk</i> ^{-/-} <i>Kit</i> ^{+/+}	2.03 ± 0.37 ^a	33.6 ± 4.8 ^a	14.1 ± 2.1 ^a	(n = 11)	0.70 ± 0.06 ^a	26.1 ± 2.1 ^a	(n = 5)
<i>lnk</i> ^{-/-} <i>Kit</i> ^{W/+}	1.91 ± 0.28	28.9 ± 3.9 ^b	11.8 ± 1.7 ^b	(n = 8)	0.56 ± 0.13	21.3 ± 1.4 ^b	(n = 5)

Bone marrow cells obtained from 8–10-wk-old mice were analyzed, and mean cell number (± SD), mean percentage (± SD) of the indicated cell fractions and the number of mice analyzed are shown.

^a*P* < 0.05 compared to *lnk*^{+/+}*Kit*^{+/+}.

^b*P* < 0.05 compared to *lnk*^{-/-}*Kit*^{+/+}.